

IRON & STEEL SCRAP SPECIFICATIONS

Type of Scrap: **Prepared Cast**

ISRI Code: **257**
 ISRI name: **Mixed cast**

Gerdau Code: **803**
 Gerdau name: **Prepared Cast**

Specifications

May include all grades of clean cast iron except burnt iron. Must be free of lead. Maximum weight of 300 lbs per piece. Must have a minimum of 2.5 carbon.

Expected Chemistry (%; max)

Copper	0.250
Chrome	0.020
Nickel	0.020
Tin	0.010
Phosphorous	0.040
Sulphur	0.140
Molybdenum	0.020
Carbon	3.000

Dimension

Cambridge	N/A
Whitby	N/A
Manitoba	48" x 24" x 6"
Perth Amboy	48" x 24" x 6"
Sayreville	48" x 24" x 6"
Knoxville	N/A
Jackson	30" x 24" x 6"
Charlotte	N/A
Cartersville	48" x 24" x 6"
Jacksonville	48" x 24" x 6"
Wilton	N/A
St. Paul	N/A
Beaumont	N/A
Sand Springs	24" x 18" x 4"

Pictures

